

ACRŌ GLASS

NEW EDITION

2023



ABOUT *wsg*

Euro Pratik is an innovative designer and importer of products, with an objective of creating world-class interior & exterior environment. At our core, we are design driven and we apply that creative thought process to both product development and internal operations.

From the house of Euro Pratik, comes to you **Acro Glass** !

A ravishing collection of pure acrylic panels that mimics glass properties but are immensely strong and incredibly durable.





- 2.5 MM
- MARBLE
- WOODEN
- ABSTRACT
- SOLID
- SPARKLE
- MIRROR
- EDGE BANDING

ACRŌ GLASS

NEW EDITION

* Available Edge Banding

Size : 2440mm x 1220mm, Thickness: 1mm, 1.4-1.5mm, 2.4-2.5mm (+/-10%)

DIMENSIONS:

Size: 2440mm x 1220mm, Thickness: 1mm | 1.4mm - 1.5mm | 2.4mm - 2.5mm | (+/-10%)

GENERAL USE & CARE GUIDE

ACRO GLASS laminates are easy to maintain. With proper application and appropriate care, our laminates will last through the years.

- Cleaning should be done with water and clean, non-abrasive cloth.
- To remove more stubborn stain, use mild household glass cleansers like Colin. Gently wipe the surface with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the laminate.
- Do not place hot cookware directly on the laminate, Prolonged exposure to temperatures above 30 degree Celsius may cause damage to the laminate surface.
- Glossy surfaces are recommended only for vertical application.
- Do not use thinner on the surface of the ACRO GLASS laminate.
- Recommended to store the laminates at temperature below 30° Celsius.

INSTALLATION TIPS:

- Stir the LUXEBOND adhesive before using it, and do not mix water in adhesive.
- Clean the dust particles from the surface of the base substrate (Plywood, MDF, Particle Board) by cloth, soft brush, sponge or sand paper.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on both ACRO GLASS laminate and base substrate (Plywood, MCF, Particle Board).
- Leave at least 2mm of groove between two pieces of ACHO GLASS laminate so that at the time of pressing it will be easy to remove air from between the ACRO GLASS laminate and has strata (Plywood, MDF, bleaching).
- Use soft pinch roller or normal pressing technique at the time of pressing ACRO GLASS laminate on the base substrate (Plywood MDF, Particle Board).
- The pressing should be done from the middle of the panel and move towards to the side line and corners of the panel.
- Make sure to give sufficient amount of pressing to ACRO GLASS Laminate for almost 12 to 15 hours to achieve full bonding strength.

TO AVOID YELLOW PATCHES AND COLOUR FADE PROBLEM:

The reason behind yellowing/colour fade problem areas follows:

- When laminate is exposed to direct sunlight, it may cause discolouring, fading and yellowing of the laminate.
- Use of inferior quality of Dipped plywood/Dipped lipping Patti can react with adhesive which may cause yellow patches after the installation.
- Using of synthetic rubber adhesive (SR / JatPat, Bostic. Heatex may lead to brown / coloured patches on acrylic laminates. We recommend using LUXEBOND adhesive.
- Prolonged exposure to temperature above 30 degree Celsius
- Placing hot cookware directly on the Acrylic laminates may chase patches on the surface.

IMPORTANT INFORMATION: TO AVOID AIR BUBBLES:

Reasons leading to air bubble problems are as follows:

- Bonding of Acrylic laminate under high humidity environment.
- Using of incorrect adhesive type may also lead to air bubble after the installation. We recommend using LUXEBOND adhesive.
- Due to uncertain weather conditions, base substrate (Plywood MDF, Particle Board) may absorb moisture. After few days of installation, base substrate gradually loses moisture resulting in air bubble formation between acrylic laminate and substrate.
- Using uneven surface substrate (Plywood MDF, Particle Board) may lead to air vacuum and air bubble may appear after the installation.
- When more than 8'X2' of Acrylic laminate is used for panelling, it may lead to air bubble formation after installation.
- Lack of bonding/pressing time during the installation of Acrylic laminate may lead to air bubbles.
- ACRO GLASS sheets should be kept evenly straight. If the sheets are in roll form, it should be kept straight for minimum 48 hours and then you can press and laminate the surface for better results.

LIMITED WARRANTY

Euro Pratik Products are reasonably Free of defects and when properly handled and fabricated will comply within reasonable deviations to applicable manufacturing specifications. Clients are advised to inspect products thoroughly prior to installation. **Euro Pratik** warranty will not cover defects and non compliance from and or otherwise attributable to any other causes, including without limitation:

- Improper handling/transportation/stope of the products
 - Improper installation of the products
 - Improper and unintended usage of the products
 - Lack of or improper maintenance of the products
 - Exposure of the products to extreme temperatures
 - Unauthorized alteration to the products
 - Outdoor Applications
- NO GUARANTEE AND NO EXCHANGE IN ANY CIRCUMSTANCES
• THERE CAN BE COLOUR VARIATION IN MATERIALS FROM DIFFERENT BATCHES
• IT IS ADVISED TO USE SAME BATCH MATERIAL TO AVOID COLOUR VARIATIONS
• ACTUAL COLOURS OF THE SHEET MAY VARY FROM THIS BROCHURE
• ABRO TAPE USE NOT RECOMMENDED

Installation Video



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces

* Available Edge Banding

2.5MM

24312		01
24315		01
24316		01
24324		02
24328		02
24331		03
24336		03
24337		04
24411		04
24412		04
24416		05
24444		05
24445		05
24446		06

WOODEN

4511		17
4512		15
4513		20
4514		20
4515		16
4516		16
4517		14
4518		14
4519		17
4537		19
4538		19
4543		18
4544		15
4545		18

SPARKLE

4411		28
4412		28
4413		30
4414		30
4415		33
4416		28
4420		29
4421		29
4422		29
4423		30
4424		30
4425		32
4427		33
4428		31
4429		31
4430		33
4432		33
4433		31
4435		30
4436		34
4440		34
4443		28
4444		27
4445		27
4446		27
4447		32
4448		33
4449		33
4450		32
4451		31

SOLID

4311		37
4312		37
4313		38
4314		43
4315		36
4316		36
4317		41
4318		42
4319		40
4320		43
4321		44
4322		44
4323		45
4324		39
4325		44
4326		41
4327		45
4328		39
4329		40
4330		43
4331		38
4332		40
4333		41
4334		38
4336		38
4337		38
4338		42
4339		42
4340		40
4341		40
4342		36

MIRROR

4251		47
4252		47
4253		48
4254		48

MARBLE

4525		09
4526		09
4527		10
4528		10
4529		11
4530		11
4531		12
4532		12
4533		12
4548		08
4549		08

ABSTRACT

4521		23
4522		23
4523		24
4535		24
4536		24
4539		25
4540		25
4541		26
4542		26

INDEX

EDGE BANDING

49 & 50




HIGH GLOSS FINISH



SCRATCH RESISTANT



WATER RESISTANCE



LIGHT WEIGHT




ECO FRIENDLY



HYGIENIC CLEANLINESS

DISCLAIMER

The information provided in this catalog is for reference and serves as a guide only. **Euro Pratik** does not warrant the accuracy and completeness of this information nor guarantee any of the properties of the product set out here, suitability of design and application for use are to be determined by the client in consultation with its professional adviser. **Euro Pratik** reserves the right to amend or update product description at any time. **Euro Pratik** reserves the right to determine that the alleged defect complained about is insubstantial or trivial. **Euro Pratik** is not liable for any damage arising from or related to reliance on this catalog. The intellectual property in this catalog belongs to **Euro Pratik** or its manufacturers.




In recent time fake products have created a serious problem across country. Always buy Original EUROPRATIK products. Before Buying, please check EUROPRATIK sticker & ensure weather you have bought Original EUROPRATIK product/s.

Incase you have any doubts, please email us on info@europratik.com


ACRŌ GLASS




HIGH GLOSS FINISH ECO FRINDLY LIGHT WEIGHT SCRATCH RESISTANT WATER RESISTANCE HYGIENIC CLEANLINESS PURE ACRYLIC TOP LAYER REDUCED RIPPLE EFFECT BETTER BONDING HIGH LEVEL REFLECTION



24312 [NEW]



24315 [NEW] *




24316 [NEW] *



2.5MM SOLID




24324 [NEW]




24328 [NEW]



ACRŌ GLASS



24331 [NEW]




24336 [NEW]



2.5MM SOLID



HIGH GLOSS FINISH ECO FRINDLY LIGHT WEIGHT SCRATCH RESISTANT WATER RESISTANCE HYGIENIC CLEANLINESS PURE ACRYLIC TOP LAYER REDUCED RIPPLE EFFECT BETTER BONDING HIGH LEVEL REFLECTION



24337 [NEW]



24411 [NEW] *



24412 [NEW] *

ACRŌ GLASS

2.5MM SOLID



24416 [NEW]



24444 [NEW]



24445 [NEW]





HIGH GLOSS FINISH

ECO FRINDLY

LIGHT WEIGHT

SCRATCH RESISTANT

WATER RESISTANCE

HYGIENIC CLEANLINESS

PURE ACRYLIC

REDUCED RIPPLE EFFECT

BETTER BONDING

HIGH LEVEL REFLECTION



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces



24446 [NEW]

MA R B F



In recent time fake products have created a serious problem across country
Always buy Original EUROPRATIK products. Before Buying, please check
EUROPRATIK sticker & ensure weather you have bought Original EUROPRATIK
product/s.

Incase you have any doubts, please email us on info@europratik.com



HIGH GLOSS
FINISH

ECO
FRINDLY

LIGHT
WEIGHT

SCRATCH
RESISTANT

WATER
RESISTANCE

HYGIENIC
CLEANLINESS

PURE
ACRYLIC

REDUCED
RIPPLE EFFECT

BETTER
BONDING

HIGH LEVEL
REFLECTION



4548 [NEW]



4549 [NEW]



ACRŌ GLASS



HIGH GLOSS FINISH ECO FRINDLY LIGHT WEIGHT SCRATCH RESISTANT WATER RESISTANCE HYGIENIC CLEANLINESS PURE ACRYLIC TOP LAYER REDUCED RIPPLE EFFECT BETTER BONDING HIGH LEVEL REFLECTION



4525



4526




MARBLE

Well Invented



4527 *



4528 *



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces

ACRÖ GLASS



HIGH GLOSS
FINISH

ECO
FRINDLY

LIGHT
WEIGHT

SCRATCH
RESISTANT

WATER
RESISTANCE

HYGIENIC
CLEANLINESS

PURE
ACRYLIC
TOP LAYER

REDUCED
RIPPLE EFFECT

BETTER
BONDING

HIGH LEVEL
REFLECTION



4529



4530

MARBLE

Well Invented



4531



4532



4533

WOLFEN



In recent time fake products have created a serious problem across country
Always buy Original EUROPRATIK products. Before Buying, please check
EUROPRATIK sticker & ensure weather you have bought Original EUROPRATIK
product/s.


Incase you have any doubts, please email us on info@europratik.com

WOODEN


Natural aptitude



4517 (FULL SHEET VIEW)



4518 (FULL SHEET VIEW)



4517




4518


ACRŌ GLASS



HIGH GLOSS FINISH ECO FRINDLY LIGHT WEIGHT SCRATCH RESISTANT WATER RESISTANCE HYGIENIC CLEANLINESS PURE ACRYLIC REDUCED RIPPLE EFFECT BETTER BONDING HIGH LEVEL REFLECTION




4512 *



4512 (FULL SHEET VIEW)



4544 (FULL SHEET VIEW)



4544



WOODEN
Natural aptitude



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces



4515

*



4516 (FULL SHEET VIEW)



4515 (FULL SHEET VIEW)



4516

ACRŌ GLASS



HIGH GLOSS
FINISH

ECO
FRINDLY

LIGHT
WEIGHT

SCRATCH
RESISTANT

WATER
RESISTANCE


HYGIENIC
CLEANLINESS

PURE
ACRYLIC


REDUCED
RIPPLE EFFECT

BETTER
BONDING


HIGH LEVEL
REFLECTION



4511




4511 (FULL SHEET VIEW)



4519 (FULL SHEET VIEW)

4519




WOODEN

Natural aptitude



4545



4543 (FULL SHEET VIEW)




4545 (FULL SHEET VIEW)



4543



4538



4538 (FULL SHEET VIEW)



4537 (FULL SHEET VIEW)



4537



- 
HIGH GLOSS FINISH
- 
ECO FRINDLY
- 
LIGHT WEIGHT
- 
SCRATCH RESISTANT
- 
WATER RESISTANCE
- 
HYGIENIC CLEANLINESS
- 
PURE ACRYLIC TOP LAYER
- 
REDUCED RIPPLE EFFECT
- 
BETTER BONDING
- 
HIGH LEVEL REFLECTION



4513 *



4513 (FULL SHEET VIEW)



4514 (FULL SHEET VIEW)



4514



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces





In recent time fake products have created a serious problem across country. Always buy Original EUROPRATIK products. Before Buying, please check EUROPRATIK sticker & ensure whether you have bought Original EUROPRATIK product/s.

Incase you have any doubts, please email us on info@europratik.com



4521



4522



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces





HIGH GLOSS
FINISH

ECO
FRINDLY

LIGHT
WEIGHT

SCRATCH
RESISTANT

WATER
RESISTANCE

HYGIENIC
CLEANLINESS

PURE
ACRYLIC
TOP LAYER

REDUCED
RIPPLE EFFECT

BETTER
BONDING

HIGH LEVEL
REFLECTION



4523



4535



4536



4539



4540



HIGH GLOSS FINISH ECO FRIENDLY LIGHT WEIGHT SCRATCH RESISTANT WATER RESISTANCE HYGIENIC CLEANLINESS PURE ACRYLIC TOP LAYER REDUCED RIPPLE EFFECT BETTER BONDING HIGH LEVEL REFLECTION



4541



4542



THE KIND OF *Collection*
THAT CAPTIVATE EVERYONE'S ATTENTION.

- 2.5MM
- MARBLE
- WOODEN
- ABSTRACT
- SOLID
- SPARKLE
- EDGE BANDING
- MIRROR





In recent time fake products have created a serious problem across country
Always buy Original EUROPRATIK products. Before Buying, please check
EUROPRATIK sticker & ensure weather you have bought Original EUROPRATIK
product/s.

Incase you have any doubts, please email us on info@europratik.com

ACRÖ GLASS


-  HIGH GLOSS FINISH
-  ECO FRINDLY
-  LIGHT WEIGHT
-  SCRATCH RESISTANT
-  WATER RESISTANCE
-  HYGIENIC CLEANLINES
-  PURE ACRYLIC TOP LAYER
-  REDUCED RIPPLE EFFECT
-  BETTER BONDING
-  HIGH LEVEL REFLECTION



4444 [NEW]



4445 [NEW]



4446 [NEW]




Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces

SPARKLE


Brighting Concepts




4416



4411 *



4412 *




4443 [NEW]

ACRŌ GLASS


-  HIGH GLOSS FINISH
-  ECO FRINDLY
-  LIGHT WEIGHT
-  SCRATCH RESISTANT
-  WATER RESISTANCE
-  HYGIENIC CLEANLINESS
-  PURE ACRYLIC TOP LAYER
-  REDUCED RIPPLE EFFECT
-  BETTER BONDING
-  HIGH LEVEL REFLECTION



4420



4421



4422

SPARKLE
Brighting Concepts




4423 *




4424



4413 *



4414



4435 *



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces

ACRÖ GLASS



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces



4428



4429



4451 **[NEW]**



4433



HIGH GLOSS
FINISH



ECO
FRINDLY



LIGHT
WEIGHT



SCRATCH
RESISTANT



WATER
RESISTANCE



HYGIENIC
CLEANLINESS



PURE
ACRYLIC




REDUCED
RIPPLE EFFECT




BETTER
BONDING




HIGH LEVEL
REFLECTION





SPARKLE


Brighting Concepts



4447 [NEW]



4450 [NEW]



4425 *

ACRŌ GLASS

-  HIGH GLOSS FINISH
-  ECO FRINDLY
-  LIGHT WEIGHT
-  SCRATCH RESISTANT
-  WATER RESISTANCE
-  HYGIENIC CLEANLINESS
-  PURE ACRYLIC TOP LAYER
-  REDUCED RIPPLE EFFECT
-  BETTER BONDING
-  HIGH LEVEL REFLECTION



4449 [NEW]



4448 [NEW]




4430 *




4432 *



4427




4415 *



4436

SPARKLE

Brighting Concepts



4440 *

DELISO




In recent time fake products have created a serious problem across country
Always buy Original EUROPRATIK products. Before Buying, please check
EUROPRATIK sticker & ensure weather you have bought Original EUROPRATIK
product/s.


Incase you have any doubts, please email us on info@europratik.com

SOLID

Piece of glory



4342 **[NEW]**



4315 *




4316 *


ACRŌ GLASS



- | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| HIGH GLOSS FINISH | ECO FRINDLY | LIGHT WEIGHT | SCRATCH RESISTANT | WATER RESISTANCE | HYGIENIC CLEANLINESS | PURE ACRYLIC TOP LAYER | REDUCED RIPPLE EFFECT | BETTER BONDING | HIGH LEVEL REFLECTION |



4311 




4312 




Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces

SOLID


Piece of glory



4313 *




4337 [NEW]



4334 *




4336 [NEW]




4331 *

ACRŌ GLASS



4324 *




4328 *




SOLID

Piece of glory




4341 **[NEW]**



4340 **[NEW]**



4319




4332




4329 *

ACRO GLASS

-  HIGH GLOSS FINISH
-  ECO FRINDLY
-  LIGHT WEIGHT
-  SCRATCH RESISTANT
-  WATER RESISTANCE
-  HYGIENIC CLEANLINESS
-  PURE ACRYLIC TOP LAYER
-  REDUCED RIPPLE EFFECT
-  BETTER BONDING
-  HIGH LEVEL REFLECTION



4326 *



4317 *



4333




Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces





SOLID
Piece of glory



4339[NEW]




4338 [NEW]




4318




ACRÒ GLASS



4330 *



4320 *




4314 *



SOLID
Piece of glory

- 
HIGH GLOSS
FINISH
- 
ECO
FRINDLY
- 
LIGHT
WEIGHT
- 
SCRATCH
RESISTANT
- 
WATER
RESISTANCE
- 
HYGIENIC
CLEANLINESS
- 
PURE
ACRYLIC
TOP LAYER
- 
REDUCED
RIPPLE EFFECT
- 
BETTER
BONDING
- 
HIGH LEVEL
REFLECTION



4321 *




4322



4325

ACRŌ GLASS



4323



4327

SOLID
Piece of glory

- | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| HIGH GLOSS FINISH | ECO FRINDLY | LIGHT WEIGHT | SCRATCH RESISTANT | WATER RESISTANCE | HYGIENIC CLEANLINESS | PURE ACRYLIC TOP LAYER | REDUCED RIPPLE EFFECT | BETTER BONDING | HIGH LEVEL REFLECTION |

RRORDMI



In recent time fake products have created a serious problem across country Always buy Original EUROPRATIK products. Before Buying, please check EUROPRATIK sticker & ensure whether you have bought Original EUROPRATIK product/s.

Incase you have any doubts, please email us on info@europratik.com

ACRŌ GLASS

MIRROR
Reflect your style



4251



4252



Luxebond Adhesive-
The perfect partner for
your Acro Glass surfaces

- | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| HIGH GLOSS FINISH | ECO FRINDLY | LIGHT WEIGHT | SCRATCH RESISTANT | WATER RESISTANCE | HYGIENIC CLEANLINESS | PURE ACRYLIC TOP LAYER | REDUCED RIPPLE EFFECT | BETTER BONDING | HIGH LEVEL REFLECTION |



4253



4254




EB-111

4311 / 4313



EB-116

4316 / 24316



EB-122

4322



EB-232

4432



EB-115

4315 / 24315




EB-121

4321




EB-125

4325



EB-317

4517



EB-120

4320



EB-124

4324 / 24324



EB-128

4328 / 24328



EB-328

4528



EB-123

4323



EB-127

4327



EB-129

4329




EB-130

4330



EB-126

4326



EB-114

4314




EB-154

4414



EB-211

4411 / 24411



EB-112

4312 / 24312



EB-117

4317



EB-223

4423



EB-225

4425



EURO PRATIK
An Opus of Products



EB-235

4435



EB-236

4436



EB-326

4526



EB-318

4518




EB-325

4525



EB-153

4413




EB-329

4529




EB-134

4334




EB-221

4421




EB-131

4331 / 24331



EB-215

4415



EB-230

4430



EB-212

4412 / 24412



EB-229

4429



EB-311

4511 / 4512
4513 / 4515 / 4519




EB-228

4428



EB-240

4440




EB-327

4527

EDGE BANDING

German Technology

Size : 22mm x 0.8mm | Roll Size : 50m



ACRŌ GLASS

WITH EDGE BANDING



Installation
Video



Recommended
ADHESIVE for Pressing



✉ info@europratik.com | follow us on
🌐 www.europratik.com |  

Mobile App Search : europratik



Euro Pratik products adds natural beauty to your interiors. Color Variance, Slubs, Weave irregularities and Shading that appears In these panels are to enhance natural beauty and are not imperfections. Utmost care has been taken to give accurate description & technical specification. Errors and omissions, if any please excuse. Technical specifications and product are subject to change without prior intimation. Use same batch material to avoid color variation. EURO PRATIK warrants that all products are free from manufacturing defects and perfectly fit for use in normal conditions. No Guarantee/Warranty of the Product after installation. (Dimension Tolerance +/- 5-10%)