



CASSA6

Wider, Smarter & More Worthier Louvers



54

NEW
DESIGNS

JULY 2024

COLLECTION






As pioneers in the industry, we at Euro Pratik intend to produce and provide innovative high-end lifestyle products with the use of cutting edge new technologies. We aspire to serve a range of demands that sprout from various market and lifestyle trends that emerge all across the world.

We take pride in our young and dynamic team that works tirelessly, dedicated to R&D and delivering products up to date. We at Euro Pratik intend to never stop expanding and adding to our 16+ years of experience.

We surge ahead with an aim to bring about a revolutionary shift in the concept of living spaces, by creating world class interior and exterior vision. Delivering to a colossal amount of 150+ cities across India, Nepal, Sri Lanka, and Bangladesh, at Euro Pratik we like to keep an edge with the ever evolving trends and needs of the market. We cater to every price point to make sure our customers are never out of options. Hence, over the years we have created our niche in the lifestyle segment and have emerged as a pioneer in the lifestyle industry whilst holding a wide range of products to choose from.



CASSA6

Wider, Smarter & More Worthier Louvers

Recyclable Material - Promoting Healthy Living

1ST TIME IN 

- ▣ Hammered look
- ▣ Wave pattern
- ▣ Gold leafing
- ▣ Synchronised
- ▣ Rough cut



NO
Sick house
syndrome

These products are eco-friendly material, made of the same material as yogurt pots. These Louvers ensure safe interior space with no sick house syndrome.



NO
Atopy

These products are much safer material for children, since atopy occurrence rate caused from harmful chemicals is very low adding charcoal powder on the product itself.



NO
Formaldehyde

These products, in the contaminant emission test for interior building materials, the components such as Formaldehyde, TVOC, which causes atopy, sick house syndrome were barely found on our products.





PG
07

14203 - 8 ft(L) x 10 in(W)
914203 - 9.5 ft(L) x 10 in(W)




PG
07

14202 - 8 ft(L) x 10 in(W)
914202 - 9.5 ft(L) x 10 in(W)



PG
07

14201 - 8 ft(L) x 10 in(W)



PG
08

14204 - 8 ft(L) x 10 in(W)
914204 - 9.5 ft(L) x 10 in(W)



PG
08

14206 - 8 ft(L) x 10 in(W)



PG
08

14207 - 8 ft(L) x 10 in(W)



PG
10

14208 - 8 ft(L) x 10 in(W)



PG
10

13265 - 8 ft(L) x 10 in(W)



PG
10

13266 - 8 ft(L) x 10 in(W)



PG
11

13248 - 8 ft(L) x 10 in(W)



PG
11

11229 - 8 ft(L) x 10 in(W)



PG
12

13258 - 8 ft(L) x 10 in(W)
913258 - 9.5 ft(L) x 10 in(W)



PG
13

13259 - 8 ft(L) x 10 in(W)



PG
13

13260 - 8 ft(L) x 10 in(W)



PG
13

13261 - 8 ft(L) x 10 in(W)



PG
14

13262 - 8 ft(L) x 10 in(W)
913262 - 9.5 ft(L) x 10 in(W)



PG
14

13263 - 8 ft(L) x 10 in(W)



PG
14

13264 - 8 ft(L) x 10 in(W)
913264 - 9.5 ft(L) x 10 in(W)



PG
16

11230 - 8 ft(L) x 10 in(W)




PG
16

11242 - 8 ft(L) x 10 in(W)



PG
17

11235 - 8 ft(L) x 10 in(W)



PG
18

11236 - 8 ft(L) x 10 in(W)



PG
18

13267 - 8 ft(L) x 10 in(W)



PG
18

13268 - 8 ft(L) x 10 in(W)
913268 - 9.5 ft(L) x 10 in(W)



PG
19

13269 - 8 ft(L) x 10 in(W)




PG
19

13273 - 8 ft(L) x 10 in(W)



PG
19

13255 - 8 ft(L) x 10 in(W)
913255 - 9.5 ft(L) x 10 in(W)



PG
21

11234 - 8 ft(L) x 10 in(W)




PG
21

13257 - 8 ft(L) x 10 in(W)



Recommended
Euro Pratik Special
Purpose Adhesive



PG
22

13278 - 8 ft(L) x 10 in(W)
913278 - 9.5 ft(L) x 10 in(W)



PG
22

13279 - 8 ft(L) x 10 in(W)



PG
24

13277 - 8 ft(L) x 10 in(W)
913277 - 9.5 ft(L) x 10 in(W)



PG
24

13275 - 8 ft(L) x 10 in(W)
913275 - 9.5 ft(L) x 10 in(W)



PG
24

13276 - 8 ft(L) x 10 in(W)



PG
25

13253 - 8 ft(L) x 10 in(W)



PG
25

13254 - 8 ft(L) x 10 in(W)



PG
27

13252 - 8 ft(L) x 10 in(W)
913252 - 9.5 ft(L) x 10 in(W)



PG
27

13249 - 8 ft(L) x 10 in(W)
913249 - 9.5 ft(L) x 10 in(W)



PG
27

13251 - 8 ft(L) x 10 in(W)



PG
28

13274 - 8 ft(L) x 10 in(W)



PG
30

13250 - 8 ft(L) x 10 in(W)
913250 - 9.5 ft(L) x 10 in(W)



PG
30

11232 - 8 ft(L) x 10 in(W)



PG
31

11233 - 8 ft(L) x 10 in(W)
911233 - 9.5 ft(L) x 10 in(W)



PG
31

13270 - 8 ft(L) x 10 in(W)



PG
31

11241 - 8 ft(L) x 10 in(W)



PG
33

13247 - 8 ft(L) x 10 in(W)
913247 - 9.5 ft(L) x 10 in(W)



PG
33

11227 - 8 ft(L) x 10 in(W)



PG
34

11231 - 8 ft(L) x 10 in(W)
911231 - 9.5 ft(L) x 10 in(W)



PG
35

13246 - 8 ft(L) x 10 in(W)
913246 - 9.5 ft(L) x 10 in(W)



PG
35

11240 - 8 ft(L) x 10 in(W)
911240 - 9.5 ft(L) x 10 in(W)



PG
37

13242 - 8 ft(L) x 10 in(W)
913242 - 9.5 ft(L) x 10 in(W)



PG
37

13245 - 8 ft(L) x 10 in(W)



PG
37

13243 - 8 ft(L) x 10 in(W)



PG
38

13244 - 8 ft(L) x 10 in(W)



Light Weight



Water Resistant



Termite & Borer Resistant



Less Wastage On Overlapping



Quick Installation



Thickness : 12mm to 20mm (±10%)



Recommended Euro Pratik Special Purpose Adhesive



1ST TIME IN   Parametric Design - Wave



14203 - 8 ft(L) x 10 in(W)
914203 - 9.5 ft(L) x 10 in(W)



14202 - 8 ft(L) x 10 in(W)
914202 - 9.5 ft(L) x 10 in(W)



14201 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant




Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



14204 - 8 ft(L) x 10 in(W)
914204 - 9.5 ft(L) x 10 in(W)



14206 - 8 ft(L) x 10 in(W)



14207 - 8 ft(L) x 10 in(W)



Light Weight



Water Resistant



Termite & Borer Resistant



Less Wastage On Overlapping



Quick Installation



Thickness : 12mm to 20mm (±10%)



1ST TIME IN   Parametric Design - Wave



14208 - 8 ft(L) x 10 in(W)



13265 - 8 ft(L) x 10 in(W)



13266 - 8 ft(L) x 10 in(W)



Light Weight



Water Resistant



Termite & Borer Resistant



Less Wastage On Overlapping



Quick Installation



Thickness : 12mm to 20mm (±10%)



13248 - 8 ft(L) x 10 in(W)



11229 - 8 ft(L) x 10 in(W)

Solid Wood - Hammered Finish



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



 [Back to INDEX Page](#)



1ST TIME IN   **Synchronised**

13258 - 8 ft(L) x 10 in(W)

913258 - 9.5 ft(L) x 10 in(W)



13259 - 8 ft(L) x 10 in(W)



13260 - 8 ft(L) x 10 in(W)



13261 - 8 ft (L) x 10 in(W)



Light Weight



Water Resistant



Termite & Borer Resistant



Less Wastage On Overlapping




Quick Installation



Thickness : 12mm to 20mm (±10%)

 [Back to INDEX Page](#)



13262 - 8 ft(L) x 10 in(W)
913262 - 9.5 ft(L) x 10 in(W)



13263 - 8 ft(L) x 10 in(W)



13264 - 8 ft(L) x 10 in(W)
913264 - 9.5 ft(L) x 10 in(W)



Light Weight



Water Resistant



Termite & Borer Resistant



Less Wastage On Overlapping



Quick Installation



Thickness : 12mm to 20mm (±10%)



1ST TIME IN   Hammered look



11230 - 8 ft(L) x 10 in(W)

Solid Wood - Hammered Finish



11242 - 8 ft(L) x 10 in(W)

Solid Wood - Hammered Finish



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation




Thickness : 12mm
to 20mm (±10%)



 [Back to INDEX Page](#)



11235 - 8 ft(L) x 10 in(W)



11236 - 8 ft(L) x 10 in(W)



13267 - 8 ft(L) x 10 in(W)



13268 - 8 ft (L) x 10 in(W)
913268 - 9.5 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



13269 - 8 ft(L) x 10 in(W)



13273 - 8 ft(L) x 10 in(W)



13255 - 8 ft(L) x 10 in(W)
913255 - 9.5 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping




Quick
Installation



Thickness : 12mm
to 20mm (±10%)





11234 - 8 ft(L) x 10 in(W)



13257 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant




Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



13278 - 8 ft(L) x 10 in(W)
913278 - 9.5 ft(L) x 10 in(W)

SOFT MATT FINISH



13279 - 8 ft(L) x 10 in(W)

SOFT MATT FINISH



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



 **Back to**
INDEX
Page



13277 - 8 ft(L) x 10 in(W)
913277 - 9.5 ft(L) x 10 in(W)

3 SIDE WOOD FINISH



13275 - 8 ft(L) x 10 in(W)
913275 - 9.5 ft(L) x 10 in(W)

3 SIDE WOOD FINISH



13276 - 8 ft(L) x 10 in(W)

3 SIDE WOOD FINISH



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



13253 - 8 ft(L) x 10 in(W)



13254 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)





13252 - 8 ft(L) x 10 in(W)
913252 - 9.5 ft(L) x 10 in(W)



13249 - 8 ft(L) x 10 in(W)
913249 - 9.5 ft(L) x 10 in(W)



13251 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



1ST TIME IN   Gold leafing

13274 - 8 ft(L) x 10 in(W)



1ST TIME IN   Rough cut



13250 - 8 ft(L) x 10 in(W)
913250 - 9.5 ft(L) x 10 in(W)



11232 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



11233 - 8 ft(L) x 10 in(W)
911233 - 9.5 ft(L) x 10 in(W)



13270 - 8 ft(L) x 10 in(W)



11241 - 8 ft(L) x 10 in(W)

Solid Wood - Hammered Finish



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation




Thickness : 12mm
to 20mm (±10%)





13247 - 8 ft(L) x 10 in(W)
913247 - 9.5 ft(L) x 10 in(W)



11227 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



11231 - 8 ft(L) x 10 in(W)
911231 - 9.5 ft(L) x 10 in(W)



13246 - 8 ft(L) x 10 in(W)
913246 - 9.5 ft(L) x 10 in(W)



11240 - 8 ft(L) x 10 in(W)
911240 - 9.5 ft(L) x 10 in(W)

Solid Wood - Hammered Finish



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)





13242 - 8 ft(L) x 10 in(W)
913242 - 9.5 ft(L) x 10 in(W)



13245 - 8 ft(L) x 10 in(W)



13243 - 8 ft(L) x 10 in(W)



Light
Weight



Water
Resistant



Termite &
Borer Resistant



Less Wastage
On Overlapping



Quick
Installation



Thickness : 12mm
to 20mm (±10%)



Back to
INDEX
Page



13244 - 8 ft(L) x 10 in(W)

1ST TIME IN   **Synchronised**

SPECIAL FEATURES



ECO FRIENDLY MATERIAL

These products are eco-friendly material, made of the same material as yogurt pots. These Louvers ensure safe interior space with no sick house syndrome.



CHARCOAL POWDER

MIGA Louvers are much safer for children, since atopy occurrence rate caused from harmful chemicals is very low by adding charcoal powder on the product itself.




SHIPLAP SYSTEM

MIGA Louvers are easy to install with a simplistic shiplap system with rabbet joint, which is easier than tongue and groove interlocking system.



UNIQUE DESIGNS

Our range of Louvers can be purchased in a wide selection of designs spanning woodgrain, marble, stone, leather, plain colours, metallic and more providing stunning solutions to any home decor styling.



Thickness : 12mm to 20mm (±10%)



Quick Installation



Less Wastage On Overlapping



Light Weight

LOUVERS HANDLING PRECAUTIONS

- * Kindly consider 10mm used for overlapping.
- * Avoid to direct sunlight and use only for interior. It can be faded in case of long exposure to sunrays.
- * Louvers can have a little slight different colour according to the lot number, so we recommend to install with same lot products.
- * There could be colour difference between sample book and actual sales production.
- * Recommend to keep in room temperature 24/48 hrs for acclimatization.
- * Gently handle the edge of the product.
- * Make sure the base where the Louvers are being installed is smooth and dust free.
- * Louvers are intended only for indoor use.
- * Louvers are water proof but prolonged exposure to moisture can do harm to the product.
- * Cleaning ONLY with a soft damp cloth without any chemicals or cleaning agents.

CONSTRUCTION GUIDE Installation Tools

Louvers

Standard Size (mm)
8 ft(L) x 10 in(W)



Circular saw



Tape measure



Wood glue




Glue gun



Water Resistant


1 Prep-work with plywood/MDS is recommended before the construction. Please remove any kind of wall paper/film on the surface of the base.



2 Apply a quality adhesive on the back of the Louvers. Apply a small amount of hot melt (glue-gun) on the back of the Louvers.



3 Louvers can be installed in both horizontal or vertical direction. Screwing on the tongue/interlocking space for better fixing.



4 Circular saw to be used to cut required length.



5 For corners, combine the two grooves



Termite & Borer Resistant



Recommended Euro Pratik Special Purpose Adhesive

CERTIFICATION

* Dimension Tolerance ± 3%



TEST REPORT

Test item	Unit	Result value	Permissible level
Formaldehyde Emission	mg/m ³ ·h	Less than 0.001	Less than 0.12
TVOC Emission / TVOC	mg/m ³ ·h	Less than 0.05	Less than 0.8
Toluene Emission	mg/m ³ ·h	Less than 0.027	Less than 0.08



CASSA6

Wider, Smarter & More Worthier Louvers



EURO PRATIK
An Opus of Products

✉ info@europratik.com | follow us on
🌐 www.europratik.com | 