


EURO PRATIK
An Opus of Products

KOINTEC

 **MADE IN KOREA**



PLUTO

Premium Interior Film

A handwritten signature in black ink, likely of the brand's founder or a representative.



WOOD | PREMIUM WOOD | PREMIUM METAL | ABSTRACT | SOLID

INNOVATION DISTINGUISHES BETWEEN A LEADER & A FOLLOWER



We at Europratik strive to Innovate and Design High-end Exclusive products so our customers can choose from our wide range of Decorative Wall Panels, Designer Laminates and Interior Films. We aspire to serve a range of demands that sprout from various markets all across the world.

With over 20 years of experience and a remarkable collection of 3000+ designs we have created our network in more than 150 cities in India. We have expanded our horizons by going global.

We take utmost pride in our young and dynamic team as we have achieved several significant milestones with their support and dedication. Over the years we have set a benchmark with our Innovations & have emerged as leaders in the interior industry.

KOINTEC prioritizes responsible and transparent business. As the leading manufacturer of cutting-edge adhesive film sheets, we have been growing together with our clients throughout our history.



After starting our business in 1989, we have always been devoted to advancing our technology and pioneering new markets. Our media film, architectural finish, special-purpose film and many others have proven their best-in-the-market quality and technology in markets home and abroad. KOINTEC is fully committed to the satisfaction of our clients and will continue on this path to meet our client's needs.










PLUTO
Premium Interior Film



This is reference image only.

Experience the Luxury lifestyle with PLUTO-Premium Interior Films. With Pluto Interior Films, you are covering surfaces, walls and furniture; while transforming them into works of art. With an array of exceptional features and benefits, this premium self-adhesive film is your gateway to achieving seamless beauty, unmatched durability, and hassle-free installation. Elevate your interior design journey and create a space that truly reflects your style.

Features :

-  **Self-Adhesive Wonder :**
Empower yourself with simplicity. The self-adhesive nature of our film makes installation a breeze. No need for special tools or skills — just peel the backing, apply, and witness your space undergo a stunning transformation.
-  **Emulating Real Materials :**
Pluto's Premium Interior Foil flawlessly emulates the texture and feel of various materials such as wood, marble, and metals. Immerse yourself in the charm of natural wood grains or the elegance of marble patterns, all while enjoying the cost savings compared to traditional materials.
-  **Cost-Effective Brilliance :**
Elevate your interiors without exceeding your budget. Pluto's Self-Adhesive Interior Film brings you the luxurious appearance of premium materials at a fraction of the cost. Now you can achieve the opulence of wood, marble, and other high-end textures without compromising on quality or your wallet. Redefine your space without overextending your expenses.
-  **Quick & Easy Installation :**
Say goodbye to complex installations. Pluto's Self-Adhesive Interior Film is designed for effortless application. Simply peel, align, and adhere. Whether you are a DIY enthusiast or a professional designer, achieving a stunning transformation is just a few steps away.
-  **Easy to Clean and Maintain :**
Experience convenience beyond aesthetics. Pluto's Self-Adhesive Interior Film is designed for easy cleaning and maintenance, ensuring that your interiors remain as breathtaking as the day of installation. Wipe away smudges, dust, and stains effortlessly, allowing you to enjoy your revitalized space without the hassle of elaborate upkeep.
-  **Seamless Look for Wall & Furniture :**
Experience the magic of a seamless appearance. Our self-adhesive film adheres flawlessly to both walls and furniture, creating a unified and sophisticated look that blends effortlessly with your existing decor. No more unsightly gaps or uneven surfaces.
-  **Durable & Long Lasting :**
Quality is at the heart of Pluto's Self-Adhesive Interior Film. Crafted with durability in mind, our film is engineered to withstand daily wear and tear, ensuring that your space retains its elegance for years to come. Experience the beauty of lasting luxury.



Bendable



Self-adhesive



Quick
Installation



Environment
Friendly



100% Water
Resistant



Termite / Borer
Resistant

PLUTO
Premium Interior Film



This is reference image only.



PLUTO
Premium Interior Film



WOOD S E R I E S

Natures charm at your doorstep

Capture the warmth and authenticity of natural wood textures with PLUTO's Wood Series. Replicating the intricate grain patterns and textures of real wood, this series brings you closer to nature.

Roll 25m. (L) x 1.23m. (W) [82ft. x 4ft. approx.]



Bendable



Self-adhesive



Quick
Installation



Environment
Friendly



100% Water
Resistant



Termite / Borer
Resistant





WD 2201



WD 2202



WD 2203



WD 2204



WD 2205



WD 2207





WD 2208



WD 2209



WD 2210



WD 2211



WD 2213






WD 2214



WD 2206



This is reference image only.



WD 2215



WD 2216



WD 2217



WD 2218



WD 2219



WD 2220



PREMIUM WOOD S E R I E S

Craftsmanship Redefined

Indulge in the luxury of Premium Woods Series by PLUTO. Elevate your living spaces with the sophistication of premium woods that speak of refined taste.

Roll 25m. (L) x 1.23m. (W) [82ft. x 4ft. approx.]



Bendable



Self-adhesive



Quick
Installation



Environment
Friendly



100% Water
Resistant



Termite / Borer
Resistant





PWD 2301



PWD 2302



PWD 2303





PWD 2304



PWD 2306



PWD 2307





PWD 2308



PWD 2309



This is reference image only.

PLUTO
Premium Interior Film



This is reference image only.

PLUTO
Premium Interior Film



PREMIUM METAL SERIES

Luxury Meets Modernity

Infuse a touch of opulence and contemporary flair into your interiors with PLUTO's Premium Metallic Series. Experience the shimmering elegance of metal-inspired finishes that catch the light and exude luxury.

Roll 25m. (L) x 1.23m. (W) [82ft. x 4ft. approx.]



Bendable



Self-adhesive



Quick
Installation



Environment
Friendly



100% Water
Resistant



Termite / Borer
Resistant





PM 2501 (SILVER TONE)



PM 2502




PM 2503





PM 2504 (SILVER TONE)



PM 2505



PM 2506 (SILVER TONE)





PM 2507



PM 2508



PM 2509



PLUTO
Premium Interior Film



This is reference image only.

PLUTO
Premium Interior Film



ABSTRACT S E R I E S

Artistic Expressions, Unleashed

Let your imagination run wild with PLUTO's Abstract Series. Transform your interiors into a canvas of creativity with these self-adhesive films that embrace abstract patterns, artistic swirls, and aesthetic designs.

Roll 25m. (L) x 1.23m. (W) [82ft. x 4ft. approx.]



Bendable



Self-adhesive



Quick
Installation



Environment
Friendly



100% Water
Resistant



Termite / Borer
Resistant





AB 2401



AB 2405



AB 2406





AB 2413



AB 2415



This is reference image only.



AB 2418



AB 2404



AB 2402





AB 2403



AB 2407



AB 2409





AB 2414



AB 2410




AB 2416





AB 2417



AB 2408



AB 2411





PLUTO 
Premium Interior Film



SOLID SERIES

Discover the Elegance of Colours

Unveil the timeless beauty of solid colors with PLUTO's Solid Series. From serene neutrals to bold statements, this series offers a palette of rich, vibrant hues that can instantly create a dramatic impact or a soothing ambience.

Roll 25m. (L) x 1.23m. (W) [82ft. x 4ft. approx.]



Bendable



Self-adhesive



Quick
Installation



Environment
Friendly



100% Water
Resistant




Termite / Borer
Resistant


PLUTO
Premium Interior Film




This is reference image only.



SD 2102



SD 2103




SD 2101



SD 2104




SD 2105



SD 2106




SD 2107



SD 2108




SD 2109




SD 2110




SD 2111



SD 2112



SD 2113



SD 2114

Installation Manual

Step 1 : Preparation

Before starting the installation process, it's crucial to ensure proper preparation of the surface. Follow these guidelines:

1. Surface Inspection and Cleaning:
 - Examine the surface to identify any issues that might affect adhesion.
 - Clean the surfaces as per requirement using appropriate methods.
2. Address Uneven Surfaces:
 - On plywood and other uneven surfaces, apply putty or plaster as appropriate to achieve a smooth base for installation.
 - Seal porous surfaces with primer before applying the Interior film.
3. Primer Application for Wood Surfaces (MDF/Wood) :
 - For MDF or wooden surfaces, apply primer 1-2 times.
 - Allow the primer to dry for at least 1 hour before installing the interior film.
 - Apply extra primer on corners for enhanced adhesion.
4. Sizing and Cutting :
 - Measure the area for installation and cut the interior film slightly larger than needed.

Step 2 : Installation

Follow these steps to ensure a successful installation :

1. Interior Film Application :
 - Peel off the upper backing paper from the interior film.
 - Carefully position the film on the prepared surface.
2. Squeegee Application :
 - Use a squeegee to firmly apply the interior film onto the surface.
 - Work from the centre towards the edges to avoid air bubbles.
3. Overlap Installation (If Required) :
 - For overlapping sections, maintain a minimum overlap of 15mm.
 - This accounts for potential shrinkage after application.

Cautions

- **Avoid exposing the interior film to direct sunlight.**
- **Use the interior film exclusively for indoor applications.**
- **Slight variation in design expected based on batch to batch.**



Scan to view PLUTO's
Installation Video.

Certificates

KTR KOREA TEST CENTER

BEYOND ASIAN Mkt. TOWARD GLOBAL WORLD

TEST REPORT

Report No : TAH-20066
Sample : PVC FILM (SOMCI)

Test Item	Unit	Sample	Result	MQL	Test Methods
Flu	mg/kg	-	Not Detected	5	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Clf	mg/kg	-	Not Detected	0.5	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Flg	mg/kg	-	Not Detected	0.5	ISO 1037-5 Ed. 1.0 (2013) (KAS)
ClfB	mg/kg	-	Not Detected	0.5	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Total-PHAs	mg/kg	-	Not Detected	-	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Mono-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Di-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Tri-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Tetra-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Penta-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Hexa-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Hepta-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Octa-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Nona-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Deca-PHAs	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Total-POHAs	mg/kg	-	Not Detected	-	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Mono-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Di-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Tri-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Tetra-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Penta-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Hexa-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Hepta-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Octa-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Nona-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)
Deca-SCE	mg/kg	-	Not Detected	10	ISO 1037-5 Ed. 1.0 (2013) (KAS)

Notes : mg/kg = ppm (parts per million)
N.D. = Not Detected (=MQL)
MQL = Method Detection Limit

fitei (08115) 21, Yangjae-ro, Gangnam-gu, Seoul, Korea
Tel : 043-711-8821 / Fax : 043-711-8824

REPORT NO. : M270-19-15273
PAGE : 2 OF 4


01. ANTIMICROBIAL ACTIVITY AND EFFICACY (JIS Z 2801 : 2010, FILM-CONTACT METHOD)
: CFU/㎖, VALUE OF ANTIMICROBIAL ACTIVITY : log

	BLANK	#1
BACTERIA-1: AT BEGINNING	1.7 x 10 ⁴	1.7 x 10 ⁴
AFTER 24 h	2.6 x 10 ⁴	< 0.63
VALUE OF ANTI-MICROBIAL ACTIVITY	-	4.6
BACTERIA-2: AT BEGINNING	1.4 x 10 ⁴	1.4 x 10 ⁴
AFTER 24 h	1.3 x 10 ⁵	< 0.63
VALUE OF ANTI-MICROBIAL ACTIVITY	-	6.3

NOTE) STANDARD FILM : STOMACHERS 400 POLY-BAG
TEST CONDITION : THE SOLUTION ARE FIXED AT (35 ± 1) °C, 90% R.H. FOR 24 h.
AND DETERMINE BACTERIA CELL GROWTH INHIBITION RATE BY POUR AGAR PLATE METHOD.
ANTIMICROBIAL EFFICACY : THE VALUE OF ANTIMICROBIAL ACTIVITY SHALL NOT BE LESS THAN 2.0 log
TEST BACTERIA : BACTERIA-1 = Staphylococcus aureus ATCC 8538P
BACTERIA-2 = Escherichia coli ATCC 8739

SEE ATTACHED PHOTOS

**** End of the Report ****



KOINTEC INC.
38 Haogae-gil, Chowul-eup, Gwangju-si,
Gyeonggi-do, Korea 12732
Tel : +82-31-764-1226-7 / Fax : +82-31-764-7186

KOINTEC
Since 1989


TECHNICAL INFORMATION

Product Name : INTERIOR FILM (BRAND NAME: 'SAEKDAREUN') 

1. Production Description :
These are embossed monomeric calendared PVC film and Permanent adhesive.
It is designed for indoor like the wall decoration purpose which is used for department store,
Super market, school, hospital, restaurant, other commercial shop .etc.

2. Application :
Indoor Decoration, Remodeling Interior

3. Film Sectional diagram:



4. Performance & Physical Data

- Surface finish : Various patterns (It is depend on the model name)
- Thickness (film only) : ±200um according to the patterns and embossing
- Tensile strength : 60 N/100mm (length, KST 102B : 2009)
35 N/10mm (width, KST 102B : 2009)
- Elongation : 220% (length, KST 102B : 2009)
110% (width, KST 102B : 2009)
- Application temperature : 10°C to 40°C (on clean and dry surfaces)
- Service temperature : -15°C to 70°C
- Storage : It is recommended to store in closed packaging at a temperature of 15°C to 30°C,
and humidity range of 45% to 60%.
- Dimensional stability : max. 2mm shrinkage (70°C x 48hr)
- Release paper : Single PE coated paper 120g
- Roll size : 1230mm X 50m
- Adhesive : Clear Permanent /Acrylic
- Adhesive strength : 8.0N/10mm (KST 102B : 2009)

5. Storage:

- Shelf life : Apply the products within 2years which is sealed with the carton from factory in proper temperature
- Storage : It is recommended to store in closed packaging at a temperature of 15°C to 30°C
Keep in the proper temperature and dry area, away from direct sunlight and humidity
- Warranty : 3years * In case of properly applications with the technics and optimal indoor temperature
& avoid from UV sunlight, heat, high humid+moisture area

6. Remarks and Sales conditions :
These technical information and statements made by Kointec Inc. are based on tests to be
reliable and the accuracy is not guaranteed.
The seller and manufacturer are only liable for the identified and proven defective quantities.
All material should be tested by purchaser to determine final suitability.

7. Before use the vinyl :

- Dry for at least 2days after printing it prior to application.
- Avoid any factor like dust, dirty, humid etc from the application surface & affecting its quality.
- Test the vinyl before actual application to obtain a guaranteed level of quality.
- When they want to install the product to MDF or any other wall for the strong adhesion,
please use the additional primer adhesive before installation.

CERTIFICATE OF KOREA ECO-LABEL



We hereby certify that the following products comply with the criteria set forth under the Support for Environmental Technology and Environmental Industry Act and are granted the right to use the Korea Eco-Label.

Wood
(Interior Sheet (For general, 0.20mm))

KOINTEC CO.,LTD.
38, Haogae-gil, Chowul-eup, Gwangju-si, Gyeonggi-do, Republic of Korea

The products on the above are certified as Decorative Synthetic Resin Sheets(EL252)
Reduction of harmful substances, Reduction of life environmental pollution

Certificate No. 29029
Issued on AUGUST 08, 2023
Valid until AUGUST 07, 2026

최흥진
HEUNG JIN CHOI, President
KOREA ENVIRONMENTAL INDUSTRY & TECHNOLOGY INSTITUTE

WOOD S E R I E S

WD 2201	07
WD 2202	07
WD 2203	07
WD 2204	07
WD 2205	07
WD 2206	09
WD 2207	07
WD 2208	08
WD 2209	08
WD 2210	08
WD 2211	08
WD 2213	08
WD 2214	09
WD 2215	10
WD 2216	10
WD 2217	10
WD 2218	10
WD 2219	10
WD 2220	10

PREMIUM WOOD S E R I E S

PWD 2301	13
PWD 2302	13
PWD 2303	13
PWD 2304	14
PWD 2306	14
PWD 2307	14
PWD 2308	15
PWD 2309	15

SOLID S E R I E S

SD 2101	33
SD 2102	33
SD 2103	33
SD 2104	33
SD 2105	33
SD 2106	33
SD 2107	34
SD 2108	34
SD 2109	34
SD 2110	34
SD 2111	34
SD 2112	34
SD 2113	34
SD 2114	34

PREMIUM METAL S E R I E S

PM 2501	19
PM 2502	19
PM 2503	19
PM 2504	20
PM 2505	20
PM 2506	20
PM 2507	21
PM 2508	21
PM 2509	21

ABSTRACT S E R I E S

AB 2401	25
AB 2402	27
AB 2403	28
AB 2404	27
AB 2405	25
AB 2406	25
AB 2407	28
AB 2408	30
AB 2409	28
AB 2410	29
AB 2411	30
AB 2413	26
AB 2414	29
AB 2415	26
AB 2416	29
AB 2417	30
AB 2418	27

Roll Size
Roll 25m. (L) x 1.23m. (W)
[82ft. x 4ft. approx.]

PLUTO

Premium Interior Film

EURO PRATIK
An Opus of Products

KOINTEC

 **MADE IN KOREA**

Marketed by - Euro Pratik Intex

 intex@europratik.com

 +91-85913 74858

 www.europratik.com

Follow us on



Euro Pratik products add natural beauty to your interiors. Utmost care has been taken to give accurate description specification. Errors and omission, if any please excuse. Technical specifications of products are subject to change without prior intimation. Use the same batch material to avoid colour variation. No gaurantee/ warranty after installation. Dimension tolerance + / - 5-10%